

Table 1.A. - Preliminary Cod Landings by Stock Area

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		2003/2004*		2002/2003*		Fishing Year* Landings
									May03-Sep03 as a % of Target TAC	Target TAC	May02-Sep02 as a % of Target TAC	Target TAC	
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent		1000 Lbs		1000 Lbs	
GULF OF MAINE	787	42%	349	52%	456	43%	2,706	34%	46%	5,899	68%	4,229	
OTTER TRAWL	430	23%	165	24%	234	22%	1,482	19%	25%		33%		
GILLNET	348	18%	180	27%	204	19%	1,159	15%	20%		34%		
HOOK	2	0%	0	0%	10	1%	24	0%	0%		1%		
OTHER GEARS	7	0%	4	1%	8	1%	42	1%	1%		2%		
GEORGES BANK	1,106	58%	324	48%	598	57%	5,141	66%	90%	5,694	182%	10,803	
OTTER TRAWL	476	25%	229	34%	382	36%	3,845	49%	68%		130%		
GILLNET	591	31%	87	13%	125	12%	1,040	13%	18%		39%		
HOOK	18	1%	5	1%	68	6%	106	1%	2%		7%		
OTHER GEARS	21	1%	3	0%	23	2%	150	2%	3%		5%		
ALL AREAS	1,893	100%	674	100%	1,055	100%	7,847	100%	68%	11,593	250%	15,032	
OTTER TRAWL	906	48%	394	58%	616	58%	5,326	68%	46%		162%		
GILLNET	939	50%	267	40%	329	31%	2,199	28%	19%		73%		
HOOK	20	1%	5	1%	79	7%	130	2%	1%		7%		
OTHER GEARS	28	1%	7	1%	31	3%	192	2%	2%		7%		
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	1,893		674		1,055		7,847						-
Fishing Year 2002/2003	2,456		1,810		1,333		10,573						25,327
Fishing Year 2001/2002	3,165		2,335		2,006		14,815						35,510
Fishing Year 2000/2001	2,258		1,828		1,360		11,819						27,945
Fishing Year 1999/2000	1,610		1,609		1,032		10,478						21,323
Fishing Year 1998/1999	1,620		1,356		1,486		11,118						23,702

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. State landings for CT are estimated for the JAN 2003 - OCT 2003 period. State landings for NY are estimated for the JUN 2003 period.

5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	531	337	64%	193	36%	265	50%	258	49%	7	1%	0	0%
Gloucester, MA	1,626	1,019	63%	608	37%	1,189	73%	410	25%	17	1%	10	1%
Boston, MA	167	23	14%	143	86%	167	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,737	75	3%	2,661	97%	2,732	100%	3	0%	0	0%	2	0%
Point Judith, RI	28	1	5%	27	95%	26	94%	0	0%	0	0%	2	6%
MAINE	886	692	78%	194	22%	453	51%	423	48%	7	1%	4	0%
NEW HAMPSHIRE	465	465	100%	0	0%	156	34%	304	65%	0	0%	5	1%
MASSACHUSETTS	6,360	1,520	24%	4,839	76%	4,625	73%	1,471	23%	124	2%	140	2%
RHODE ISLAND	126	1	1%	125	99%	86	68%	0	0%	0	0%	40	32%
CONNECTICUT	7	0	0%	7	100%	7	99%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	0	0%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,845	2,679	34%	5,166	66%	5,326	68%	2,198	28%	131	2%	190	2%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		2003/2004*		2002/2003*		Fishing
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	MAY03-SEP03 as % of Target TAC	Target TAC 1000 Lbs	MAY02-SEP02 as % of Target TAC	Target TAC 1000 Lbs	Year* Landings 1000 Lbs
GULF OF MAINE	133	19%	125	28%	123	20%	745	14%					
OTTER TRAWL	124	17%	77	17%	111	19%	631	12%					
GILLNET	9	1%	45	10%	2	0%	87	2%					
HOOK	0	0%	0	0%	9	1%	23	0%					
OTHER GEARS	1	0%	2	0%	0	0%	3	0%					
GEORGES BANK	587	81%	323	72%	478	80%	4,502	86%	18%	25,586	26%	25,751	
OTTER TRAWL	536	74%	319	71%	419	70%	4,343	83%	17%		25%		
GILLNET	49	7%	3	1%	2	0%	67	1%	0%		1%		
HOOK	3	0%	1	0%	58	10%	62	1%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	30	1%	0%		0%		
SNE/ MID-ATLANTIC	0	0%	0	0%	0	0%	0	0%					
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	721	100%	448	100%	601	100%	5,248	100%					
OTTER TRAWL	660	91%	396	88%	530	88%	4,974	95%					
GILLNET	58	8%	48	11%	4	1%	154	3%					
HOOK	3	0%	1	0%	67	11%	85	2%					
OTHER GEARS	1	0%	2	0%	0	0%	34	1%					
LANDINGS - ALL AREAS	721		448		601		5,248						-
Fishing Year 2003/2004	1,612		960		1,149		7,105						16,198
Fishing Year 2002/2003	822		1,004		1,205		4,591						14,341
Fishing Year 2001/2002	504		683		399		2,954						10,501
Fishing Year 2000/2001	800		622		617		3,422						8,999
Fishing Year 1999/2000	626		561		739		2,721						6,009

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- Landings in live weight.
- State landings for 2002 have been updated and are complete.
- State landings for CT are estimated for the JAN 2003 - OCT 2003 period. State landings for NY are estimated for the JUN 2003 period.
- Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	301	119	39%	183	61%	0	0%	249	83%	41	13%	12	4%	0	0%
Gloucester, MA	1,153	336	29%	818	71%	0	0%	1,113	96%	27	2%	11	1%	3	0%
Boston, MA	118	52	44%	67	56%	0	0%	118	100%	0	0%	0	0%	0	0%
New Bedford, MA	3,019	55	2%	2,964	98%	0	0%	3,019	100%	0	0%	0	0%	0	0%
Point Judith, RI	81	0	0%	81	100%	0	0%	81	100%	0	0%	0	0%	0	0%
MAINE	349	166	48%	183	52%	0	0%	294	84%	43	12%	12	3%	0	0%
NEW HAMPSHIRE	44	44	100%	0	0%	0	0%	27	60%	17	39%	0	0%	0	0%
MASSACHUSETTS	4,622	526	11%	4,096	89%	0	0%	4,451	96%	94	2%	73	2%	3	0%
RHODE ISLAND	219	0	0%	219	100%	0	0%	190	86%	0	0%	0	0%	30	14%
CONNECTICUT	14	0	0%	14	100%	0	0%	14	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,249	736	14%	4,512	86%	0	0%	4,975	95%	154	3%	86	2%	34	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. State landings for CT are estimated for the May 2003 - Sep 2003 period. State landings for NY are estimated for the Jun. 2003 period.
 3. Landings in live weight.
 4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	MAY03-SEP03 as % of Target TAC	Target TAC 1000 Lbs	MAY02-SEP02 as % of Target TAC	Target TAC 1000 Lbs	1000 Lbs
GULF OF MAINE	35	5%	0	0%	3	1%	64	2%					
OTTER TRAWL	35	5%	0	0%	3	1%	64	2%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
CAPE COD	203	30%	153	39%	163	56%	1,092	31%					
OTTER TRAWL	196	29%	144	37%	162	56%	1,061	30%					
GILLNET	7	1%	9	2%	1	0%	30	1%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	1	0%					
GEORGES BANK	389	58%	236	60%	92	32%	2,288	64%	13%	17,288	13%	15,003	
OTTER TRAWL	389	58%	236	60%	92	32%	2,284	64%	13%		13%		
GILLNET	0	0%	0	0%	0	0%	2	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	0%		0%		
SNE/ MID-ATLANTIC	39	6%	3	1%	32	11%	119	3%	30%	393	2%	2,092	
OTTER TRAWL	39	0	3	0	32	0	117	3%	30%		2%		
GILLNET	0	0%	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	1	0%	0%		0%		
ALL AREAS	666	100%	392	100%	291	100%	3,563	100%					
OTTER TRAWL	659	99%	383	98%	289	99%	3,526	99%					
GILLNET	7	1%	9	2%	1	0%	33	1%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	4	0%					
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	666		392		291		3,563						-
Fishing Year 2002/2003	577		485		681		4,258						11,774
Fishing Year 2001/2002	796		853		583		6,097						14,604
Fishing Year 2000/2001	864		547		535		5,002						15,990
Fishing Year 1999/2000	402		281		225		2,812						11,601
Fishing Year 1998/1999	430		410		598		2,566						9,571

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- Landings in live weight.
 - State landings for 2002 have been updated and are complete.
 - State landings for CT are estimated for the JAN 2003 - OCT 2003 period. State landings for NY are estimated for the JUN 2003 period.
 - Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	35	0	0%	4	11%	31	88%	0	0%	35	100%	0	0%	0	0%	0	0%
Gloucester, MA	412	9	2%	334	81%	68	16%	1	0%	399	97%	13	3%	0	0%	0	0%
Boston, MA	11	2	15%	0	0%	9	84%	0	0%	11	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,454	3	0%	313	13%	2,104	86%	34	1%	2,453	100%	0	0%	0	0%	2	0%
Point Judith, RI	107	18	16%	5	5%	50	47%	34	32%	107	100%	0	0%	0	0%	0	0%
MAINE	36	1	0%	4	11%	31	86%	0	0%	36	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	40	24	61%	16	39%	0	0%	0	0%	39	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	3,306	14	0%	1,070	32%	2,183	66%	39	1%	3,272	99%	32	1%	0	0%	3	0%
RHODE ISLAND	158	18	11%	5	3%	82	52%	54	34%	157	99%	0	0%	0	0%	1	1%
CONNECTICUT	5	0	0%	0	0%	5	93%	0	0%	5	93%	0	0%	0	0%	0	0%
NEW YORK	16	0	0%	0	0%	0	0%	16	100%	16	100%	0	0%	0	0%	0	0%
NEW JERSEY	2	0	0%	0	0%	0	0%	2	100%	2	94%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,563	57	2%	1,094	31%	2,300	65%	111	3%	3,526	99%	32	1%	0	0%	4	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
SNE/ NORTH	592	100%	660	100%	723	100%	3,830	100%	
OTTER TRAWL	180	30%	91	14%	407	56%	2,054	54%	
GILLNET	412	70%	566	86%	269	37%	1,721	45%	
HOOK	0	0%	0	0%	46	6%	49	1%	
OTHER GEARS	0	0%	2	0%	1	0%	5	0%	
MID-ATLANTIC	0	0%	0	0%	0	0%	1	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	592	100%	660	100%	723	100%	3,831	100%	
OTTER TRAWL	180	30%	91	14%	407	56%	2,055	54%	
GILLNET	412	70%	566	86%	269	37%	1,721	45%	
HOOK	0	0%	0	0%	46	6%	49	1%	
OTHER GEARS	0	0%	2	0%	1	0%	5	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	592		660		723		3,831		-
Fishing Year 2002/2003	382		502		685		2,454		7,686
Fishing Year 2001/2002	571		681		972		3,476		8,344
Fishing Year 2000/2001	648		652		818		3,418		6,932
Fishing Year 1999/2000	395		762		822		3,135		5,928
Fishing Year 1998/1999	255		237		222		1,206		5,655

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. State landings for CT are estimated for the May. 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
5. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,871	1,871	100%	1	0%	1,120	60%	722	39%	30	2%	0	0%
Gloucester, MA	946	946	100%	0	0%	455	48%	482	51%	7	1%	2	0%
Boston, MA	135	135	100%	0	0%	135	100%	0	0%	0	0%	0	0%
New Bedford, MA	72	72	100%	0	0%	72	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
MAINE	2,235	2,235	100%	1	0%	1,302	58%	902	40%	30	1%	1	0%
NEW HAMPSHIRE	357	357	100%	0	0%	53	15%	304	85%	0	0%	0	0%
MASSACHUSETTS	1,213	1,213	100%	0	0%	676	56%	516	43%	19	2%	2	0%
RHODE ISLAND	25	25	100%	0	0%	24	95%	0	0%	0	0%	1	5%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,831	3,830	100%	1	0%	2,055	54%	1,721	45%	49	1%	5	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	463	100%	363	100%	540	100%	2,395	99%	
OTTER TRAWL	462	100%	360	99%	537	99%	2,374	98%	
GILLNET	1	0%	2	1%	0	0%	11	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	3	1%	9	0%	
SNE / MID-ATLANTIC	0	0%	0	0%	2	0%	18	1%	
OTTER TRAWL	0	0%	0	0%	2	0%	18	1%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	463	100%	363	100%	542	100%	2,413	100%	
OTTER TRAWL	462	100%	360	99%	538	99%	2,392	99%	
GILLNET	1	0%	2	1%	0	0%	11	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	3	1%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	463		363		542		2,413		-
Fishing Year 2002/2003	471		665		757		2,575		6,236
Fishing Year 2001/2002	878		1,514		1,226		4,416		9,978
Fishing Year 2000/2001	758		1,344		1,311		4,388		9,949
Fishing Year 1999/2000	802		1,099		740		3,221		7,003
Fishing Year 1998/1999	1,423		972		722		3,868		7,787

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May. 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	513	512	100%	1	0%	510	99%	3	1%	0	0%	0	0%
Gloucester, MA	387	387	100%	0	0%	385	100%	2	0%	0	0%	0	0%
Boston, MA	87	87	100%	0	0%	87	100%	0	0%	0	0%	0	0%
New Bedford, MA	825	811	98%	15	2%	825	100%	0	0%	0	0%	0	0%
Point Judith, RI	31	31	100%	0	0%	31	100%	0	0%	0	0%	0	0%
MAINE	828	827	100%	1	0%	821	99%	3	0%	0	0%	3	0%
NEW HAMPSHIRE	31	31	100%	0	0%	26	84%	5	16%	0	0%	0	0%
MASSACHUSETTS	1,481	1,466	99%	15	1%	1,478	100%	3	0%	0	0%	0	0%
RHODE ISLAND	71	70	98%	2	2%	66	92%	0	0%	0	0%	6	8%
CONNECTICUT	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,413	2,395	99%	18	1%	2,392	99%	11	0%	0	0%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	141	7%	117	13%	176	19%	667	9%	
OTTER TRAWL	117	6%	98	11%	163	17%	592	8%	
GILLNET	24	1%	19	2%	11	1%	73	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	3	0%	3	0%	
GEORGES BANK	1,481	76%	480	54%	263	28%	4,847	66%	
OTTER TRAWL	1,481	76%	480	54%	263	28%	4,840	66%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	0	0%	8	0%	
SNE/ MID-ATLANTIC	324	17%	287	32%	506	54%	1,845	25%	
OTTER TRAWL	311	16%	277	31%	504	53%	1,804	25%	
GILLNET	12	1%	10	1%	2	0%	38	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	0	0%	3	0%	
ALL AREAS	1,947	100%	884	100%	945	100%	7,359	100%	
OTTER TRAWL	1,909	98%	855	97%	930	98%	7,235	98%	
GILLNET	36	2%	29	3%	13	1%	110	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	2	0%	0	0%	3	0%	13	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	1,947		884		945		7,359		-
Fishing Year 2002/2003	1,633		1,841		1,261		8,209		11,941
Fishing Year 2001/2002	1,656		1,926		1,444		8,606		15,383
Fishing Year 2000/2001	1,509		1,451		1,031		6,951		13,796
Fishing Year 1999/2000	1,180		1,048		956		5,411		10,366
Fishing Year 1998/1999	1,305		1,250		1,368		6,478		11,283

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May. 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	60	3	5%	44	72%	14	23%	60	100%	0	0%	0	0%	0	0%
Gloucester, MA	360	182	51%	138	38%	39	11%	325	90%	35	10%	0	0%	0	0%
Boston, MA	28	4	14%	24	86%	0	0%	28	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,584	60	1%	4,580	82%	944	17%	5,582	100%	0	0%	0	0%	2	0%
Point Judith, RI	243	1	0%	27	11%	216	89%	243	100%	0	0%	0	0%	0	0%
MAINE	61	3	5%	44	72%	14	23%	61	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	6	6	100%	0	0%	0	0%	5	78%	1	21%	0	0%	0	0%
MASSACHUSETTS	6,459	657	10%	4,743	73%	1,058	16%	6,343	98%	109	2%	0	0%	6	0%
RHODE ISLAND	364	1	0%	59	16%	305	84%	357	98%	0	0%	0	0%	6	2%
CONNECTICUT	30	0	0%	2	8%	27	92%	29	100%	0	0%	0	0%	0	0%
NEW YORK	124	0	0%	0	0%	124	100%	124	99%	0	0%	0	0%	1	0%
NEW JERSEY	316	0	0%	0	0%	316	100%	316	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,359	667	9%	4,847	66%	1,845	25%	7,235	98%	110	1%	0	0%	13	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	982	99%	432	97%	588	98%	3,368	98%	
OTTER TRAWL	968	97%	423	95%	585	97%	3,326	97%	
GILLNET	15	1%	8	2%	2	0%	36	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	1	0%	1	0%	6	0%	
SNE/ MID-ATLANTIC	10	1%	15	3%	15	2%	68	2%	
OTTER TRAWL	10	1%	15	3%	15	2%	67	2%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	
ALL AREAS	993	100%	446	100%	602	100%	3,436	100%	
OTTER TRAWL	978	99%	437	98%	600	100%	3,393	99%	
GILLNET	15	1%	8	2%	2	0%	36	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	1	0%	1	0%	8	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	993		446		602		3,436		-
Fishing Year 2002/2003	361		708		942		3,080		6,168
Fishing Year 2001/2002	495		911		711		3,523		7,246
Fishing Year 2000/2001	400		743		567		2,852		5,941
Fishing Year 1999/2000	462		743		468		2,879		4,896
Fishing Year 1998/1999	512		546		362		2,478		4,048

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May. 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	343	342	100%	1	0%	342	100%	1	0%	0	0%	0	0%
Gloucester, MA	1,087	1,087	100%	1	0%	1,066	98%	22	2%	0	0%	0	0%
Boston, MA	135	135	100%	0	0%	135	100%	0	0%	0	0%	0	0%
New Bedford, MA	864	853	99%	10	1%	862	100%	0	0%	0	0%	1	0%
Point Judith, RI	47	33	70%	14	30%	47	100%	0	0%	0	0%	0	0%
MAINE	590	589	100%	1	0%	588	100%	1	0%	0	0%	1	0%
NEW HAMPSHIRE	85	85	100%	0	0%	83	97%	2	3%	0	0%	0	0%
MASSACHUSETTS	2,630	2,617	100%	13	0%	2,594	99%	32	1%	0	0%	3	0%
RHODE ISLAND	90	73	81%	17	19%	86	95%	0	0%	0	0%	4	5%
CONNECTICUT	4	4	100%	0	0%	4	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%
NEW JERSEY	36	0	0%	36	100%	36	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,436	3,368	98%	68	2%	3,393	99%	36	1%	0	0%	8	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	0	0%	0	0%	0	0%	3	12%	
OTTER TRAWL	0	0%	0	0%	0	0%	3	12%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
SNE/ MID-ATLANTIC	3	94%	1	97%	2	99%	23	88%	
OTTER TRAWL	3	94%	1	97%	2	99%	22	87%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	4	100%	1	100%	2	100%	26	100%	
OTTER TRAWL	4	100%	1	100%	2	100%	25	99%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	4		1		2		26		-
Fishing Year 2002/2003	19		7		3		54		135
Fishing Year 2001/2002	12		6		9		45		261
Fishing Year 2000/2001	68		14		12		176		431
Fishing Year 1999/2000	19		10		17		75		600
Fishing Year 1998/1999	52		34		107		279		613

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May. 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
4. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	2	2	96%	0	0%	2	100%	0	0%	0	0%	0	0%
Point Judith, RI	5	1	0%	4	81%	5	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	2	2	96%	0	0%	2	100%	0	0%	0	0%	0	0%
RHODE ISLAND	7	1	0%	6	85%	7	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	10	0	0%	10	100%	10	98%	0	0%	0	0%	0	0%
NEW JERSEY	7	0	0%	7	100%	7	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	26	3	12%	23	88%	25	99%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		2003/2004*		2002/2003*		Fishing Year* Landings
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03- Sep03 as a % of Target TAC	Target TAC 1000 Lbs	May02- Sep03 as a % of Target TAC	Target TAC 1000 Lbs	
ATLANTIC POLLOCK	2003/2004	614	13%	437	15%	617	17%	3,109	15%	5%				
	2002/2003	427	13%	524	12%	590	14%	2,493	13%			4%		
	2001/ 2002	460	11%	910	15%	824	16%	3,564	14%					
	2000/ 2001	632	15%	952	18%	1,003	21%	4,169	18%					
	1999/ 2000	554	16%	662	15%	934	23%	3,365	17%					
REDFISH	2003/2004	49	1%	46	2%	215	6%	435	2%	1%				
	2002/2003	62	2%	61	1%	31	1%	277	1%			0%		
	2001/ 2002	79	2%	101	2%	53	1%	412	2%					
	2000/ 2001	100	2%	67	1%	50	1%	384	2%					
	1999/ 2000	68	2%	98	2%	47	1%	380	2%					
WHITE HAKE	2003/2004	592	13%	660	23%	723	20%	3,831	19%	6%				
	2002/2003	382	11%	502	12%	685	16%	2,454	13%			4%		
	2001/ 2002	571	14%	681	11%	972	19%	3,476	14%					
	2000/ 2001	648	16%	652	12%	818	17%	3,418	15%					
	1999/ 2000	395	11%	762	17%	822	21%	3,135	16%					
AMERICAN PLAICE	2003/2004	463	10%	363	13%	542	15%	2,413	12%	4%				
	2002/2003	471	14%	665	15%	757	18%	3,029	15%			5%		
	2001/ 2002	878	21%	1,514	25%	1,226	23%	6,009	23%					
	2000/ 2001	758	18%	1,344	26%	1,311	27%	5,515	24%					
	1999/ 2000	802	23%	1,099	25%	740	19%	4,542	23%					
WINTER FLOUNDER	2003/2004	1,947	42%	884	31%	945	26%	7,359	36%	12%				
	2002/2003	1,633	49%	1,841	43%	1,261	30%	8,209	42%			15%		
	2001/ 2002	1,656	40%	1,926	32%	1,444	28%	8,606	34%					
	2000/ 2001	1,509	37%	1,451	28%	1,031	22%	6,951	30%					
	1999/ 2000	1,180	34%	1,048	24%	956	24%	5,411	27%					
WITCH FLOUNDER	2003/2004	993	21%	446	16%	602	17%	3,436	17%	6%				
	2002/2003	361	11%	708	16%	942	22%	3,080	16%			5%		
	2001/ 2002	495	12%	911	15%	711	14%	3,523	14%					
	2000/ 2001	400	10%	743	14%	567	12%	2,852	12%					
	1999/ 2000	462	13%	743	17%	468	12%	2,879	15%					
WINDOWPANE FLDR	2003/2004	4	0%	1	0%	2	0%	26	0%	0%				
	2002/2003	19	1%	7	0%	3	0%	54	0%			0%		
	2001/ 2002	12	0%	6	0%	9	0%	45	0%					
	2000/ 2001	68	2%	14	0%	12	0%	176	1%					
	1999/ 2000	19	1%	10	0%	17	0%	75	0%					
ALL 7 SPECIES - TOTAL														
2003/ 2004		4,662	100%	2,838	100%	3,648	100%	20,609	100%	34%	61,329			-
2002/ 2003		3,355	100%	4,309	100%	4,269	100%	19,597	100%			35%	56,200	41,057
2001/ 2002		4,149	100%	6,049	100%	5,240	100%	25,636	100%					52,175
2000/ 2001		4,115	100%	5,222	100%	4,792	100%	23,465	100%					46,273
1999/ 2000		3,480	100%	4,421	100%	3,984	100%	19,788	100%					38,302

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

3. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

* Fishing Year is May 1 through April 30. The 2003/2004 Fishing Year Target TAC is the same as the 2002/2003 Target TAC because no 2003/2004 Target TAC numbers are available.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	818	41%	812	68%	648	25%	2,379	30%	
OTTER TRAWL	817	41%	809	67%	644	24%	2,361	30%	
GILLNET	2	0%	1	0%	4	0%	7	0%	
HOOK	0	0%	0	0%	0	0%	9	0%	
OTHER GEARS	0	0%	1	0%	0	0%	1	0%	
SNE/ MID-ATLANTIC	1,154	59%	388	32%	1,992	75%	5,431	70%	
OTTER TRAWL	1,103	56%	388	32%	1,991	75%	5,379	69%	
GILLNET	51	3%	0	0%	0	0%	51	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	1,973	100%	1,199	100%	2,640	100%	7,810	100%	
OTTER TRAWL	1,920	97%	1,197	100%	2,636	100%	7,741	99%	
GILLNET	53	3%	1	0%	4	0%	58	1%	
HOOK	0	0%	0	0%	0	0%	9	0%	
OTHER GEARS	0	0%	1	0%	0	0%	1	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2002	1,973		1,199		2,640		7,810		-
Fishing Year 2002/2003	1,795		1,359		1,691		7,999		15,741
Fishing Year 2001/2002	2,683		2,748		2,788		13,650		24,585
Fishing Year 2000/2001	2,044		2,157		2,599		11,000		27,359
Fishing Year 1999/2000	3,259		2,695		2,588		14,495		29,045
Fishing Year 1998/1999	2,770		3,353		3,069		15,315		33,308

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561

Southern New England: 525-552, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2003 - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	333	333	100%	0	0%	319	96%	4	1%	9	3%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	3,330	1,392	42%	1,938	58%	3,330	100%	0	0%	0	0%	0	0%
Point Judith, RI	2,436	287	12%	2,148	88%	2,436	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	81	81	100%	0	0%	80	99%	1	0%	0	0%	0	0%
MASSACHUSETTS	3,752	1,813	48%	1,939	52%	3,734	100%	7	0%	9	0%	1	0%
RHODE ISLAND	2,624	288	11%	2,336	89%	2,573	98%	51	2%	0	0%	0	0%
CONNECTICUT	601	0	0%	601	100%	601	100%	0	0%	0	0%	0	0%
NEW YORK	723	197	27%	526	73%	723	100%	0	0%	0	0%	0	0%
NEW JERSEY	30	0	0%	30	100%	30	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,810	2,379	30%	5,431	70%	7,741	99%	58	1%	9	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. State landings for CT are estimated for the May 2003 - Sep 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	JUL - 2003		AUG - 2003		SEP - 2003		MAY 03 - SEP 03		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03- Aug03 as a % of Target TAC	Target TAC	May02- Sep02 as a % of Target TAC	Target TAC	
NORTHERN	2,513	66%	1,628	72%	2,472	82%	10,758	53%	28%	39,039	45%	25,737	
OTTER TRAWL	1,164	31%	264	12%	1,768	59%	6,488	32%	17%		27%		
GILLNET	1,161	31%	981	43%	673	22%	3,625	18%	9%		17%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	189	5%	383	17%	31	1%	645	3%	2%		1%		
SOUTHERN	1,288	34%	634	28%	531	18%	9,516	47%	42%	22,511	24%	17,463	
OTTER TRAWL	243	6%	153	7%	339	11%	1,235	6%	5%		3%		
GILLNET	715	19%	112	5%	85	3%	6,890	34%	31%		16%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	331	9%	368	16%	107	4%	1,391	7%	6%		5%		
ALL AREAS	3,802	100%	2,262	100%	3,003	100%	20,274	100%	33%	61,551	69%	43,200	
OTTER TRAWL	1,407	37%	417	18%	2,107	70%	7,723	38%	13%		30%		
GILLNET	1,875	49%	1,093	48%	757	25%	10,514	52%	17%		34%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	519	14%	751	33%	138	5%	2,036	10%	3%		6%		
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	3,802		2,262		3,003		20,274						-
Fishing Year 2002/2003	3,470		4,614		3,284		19,452						48,077
Fishing Year 2001/2002	4,500		5,415		3,727		23,559						57,148
Fishing Year 2000/2001	3,623		3,935		2,897		18,012						43,694
Fishing Year 1999/2000	7,315		6,405		3,208		30,648						52,979
Fishing Year 1998/1999	7,382		6,015		4,006		30,801						59,487

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May - Sep 2003

PORT/ STATE	MAY - SEP 03	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,261	2,215	98%	46	2%	1,767	78%	494	22%	0	0%	0	0%
Gloucester, MA	2,920	2,855	98%	65	2%	1,053	36%	1,862	64%	0	0%	5	0%
Boston, MA	614	614	100%	0	0%	614	100%	0	0%	0	0%	0	0%
New Bedford, MA	4,618	2,048	44%	2,570	56%	1,874	41%	1,072	23%	0	0%	1,673	36%
Point Judith, RI	1,332	85	6%	1,248	94%	557	42%	702	53%	0	0%	74	6%
MAINE	3,193	3,143	98%	50	2%	2,584	81%	603	19%	0	0%	6	0%
NEW HAMPSHIRE	696	696	100%	0	0%	37	5%	653	94%	0	0%	6	1%
MASSACHUSETTS	9,916	6,402	65%	3,514	35%	3,893	39%	4,323	44%	0	0%	1,700	17%
RHODE ISLAND	2,586	516	20%	2,069	80%	1,030	40%	1,478	57%	0	0%	77	3%
CONNECTICUT	212	0	0%	212	100%	33	15%	151	71%	0	0%	29	14%
NEW YORK	224	0	0%	224	100%	29	13%	193	86%	0	0%	1	0%
NEW JERSEY	2,625	0	0%	2,625	100%	87	3%	2,355	90%	0	0%	183	7%
OTHER NORTHEAST	822	0	0%	821	100%	30	4%	759	92%	0	0%	33	4%
TOTAL	20,274	10,758	53%	9,516	47%	7,723	38%	10,514	52%	0	0%	2,036	10%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Sep. 2003 period. State landings for NY are estimated for the Jun. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	JUL - 2003		AUG - 2003		SEP - 2003		MAR - SEP 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	63	1%	11	0%	23	1%	382	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	3	0%	
DREDGE	63	1%	11	0%	22	1%	378	1%	
OTHER GEARS	0	0%	0	0%	1	0%	1	0%	
SOUTH CHANNEL	1,421	20%	868	15%	445	12%	4,726	12%	
OTTER TRAWL	4	0%	1	0%	1	0%	28	0%	
DREDGE	1,417	20%	868	15%	444	12%	4,697	12%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	251	4%	374	6%	0	0%	2,441	6%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	
DREDGE	251	4%	374	6%	0	0%	2,441	6%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK SOUTH	463	7%	352	6%	92	2%	1,201	3%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
DREDGE	463	7%	352	6%	92	2%	1,201	3%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
S. NEW ENGLAND	28	0%	0	0%	0	0%	104	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	5	0%	
DREDGE	28	0%	0	0%	0	0%	99	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	1,747	25%	1,037	18%	1,526	40%	14,113	35%	
OTTER TRAWL	24	0%	2	0%	4	0%	170	0%	
DREDGE	1,724	24%	1,035	18%	1,522	40%	13,943	35%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
DE / MD / VA	3,096	43%	3,063	53%	1,729	45%	16,959	42%	
OTTER TRAWL	311	4%	357	6%	144	4%	2,181	5%	
DREDGE	2,785	39%	2,705	46%	1,585	41%	14,778	37%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
VA / NC	48	1%	129	2%	16	0%	353	1%	
OTTER TRAWL	10	0%	3	0%	4	0%	20	0%	
DREDGE	38	1%	126	2%	12	0%	333	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	7,118	100%	5,833	100%	3,831	100%	40,278	100%	
OTTER TRAWL	349	5%	362	6%	153	4%	2,408	6%	
DREDGE	6,769	95%	5,471	94%	3,677	96%	37,869	94%	
OTHER GEARS	0	0%	0	0%	1	0%	1	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	7,118		5,833		3,831		40,278		-
Fishing Year 2002/2003	6,110		6,298		4,700		38,816		51,734
Fishing Year 2001/2002	5,910		4,511		3,799		33,712		47,506
Fishing Year 2000/2001	3,830		3,645		2,679		24,338		34,309
Fishing Year 1999/2000	3,111		2,374		1,098		16,190		22,563

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.
 3. State landings for CT are estimated for the Mar. 2003 - Sep 2003 period.
 4. Gear data are based on vessel trip reports.
 * Fishing Year is March 1 through February 29.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March - Sep 2003

PORT/ STATE	MAR - SEP 03	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	17,519	10	0%	4,277	24%	2,401	14%	1,201	7%	99	1%	8,004	46%	1,491	9%	36	0%
Cape May, NJ	5,359	0	0%	0	0%	0	0%	0	0%	0	0%	2,115	39%	3,218	60%	26	0%
Norfolk, VA	12,159	0	0%	21	0%	0	0%	0	0%	0	0%	715	6%	11,152	92%	271	2%
								0									
MAINE	71	21	29%	50	71%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	100	12	12%	87	88%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	18,188	349	2%	4,566	25%	2,413	13%	1,201	7%	104	1%	8,027	44%	1,491	8%	36	0%
RHODE ISLAND	45	0	0%	0	0%	0	0%	0	0%	0	0%	45	99%	0	0%	0	0%
CONNECTICUT	1,061	0	0%	0	0%	28	3%	0	0%	0	0%	1,033	97%	0	0%	0	0%
NEW JERSEY	8,135	0	0%	0	0%	0	0%	0	0%	0	0%	4,264	52%	3,844	47%	26	0%
VIRGINIA	12,539	0	0%	21	0%	0	0%	0	0%	0	0%	735	6%	11,495	92%	288	2%
OTHER NORTHEAST	139	0	0%	0	0%	0	0%	0	0%	0	0%	9	6%	128	92%	2	1%
TOTAL	40,278	382	1%	4,726	12%	2,441	6%	1,201	3%	104	0%	14,113	35%	16,959	42%	353	1%

PORT/ STATE	MAR - SEP 03	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	17,519	4	0%	17,515	100%	0	0%
Cape May, NJ	5,359	661	12%	4,698	88%	0	0%
Norfolk, VA	12,159	1,364	11%	10,796	89%	0	0%
MAINE	71	0	0%	70	99%	1	0%
NEW HAMPSHIRE	100	0	0%	99	100%	0	0%
MASSACHUSETTS	18,188	15	0%	18,173	100%	0	0%
RHODE ISLAND	45	1	0%	45	99%	0	0%
CONNECTICUT	1,061	0	0%	1,061	100%	0	0%
NEW JERSEY	8,135	730	9%	7,404	91%	0	0%
VIRGINIA	12,539	1,622	13%	10,917	87%	0	0%
OTHER NORTHEAST	139	39	28%	100	72%	0	0%
TOTAL	40,278	2,408	6%	37,869	94%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. State landings for CT are estimated for the Mar. - Sep. 2003 period.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.